



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/653,618	08/31/2000	Cem Paya	MS	4621
	7590		#147265.1/40062.67US01	
	03/09/2004		EXAMINER	
			SHERKAT, AREZOO	
			ART UNIT	PAPER NUMBER
			2131	
			DATE MAILED: 03/09/2004	

Homer L Knearl
Merchant & Gould PC
P O Box 2903
Minneapolis, MN 55402-0903

Please find below and/or attached an Office communication concerning this application or proceeding.

3

Office Action Summary

Application No.

09/653,618

Applicant(s)

PAYA ET AL.

Examiner

Arezoo Sherkat

Art Unit

2131

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 August 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☒ Claim(s) 2 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 August 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 1-20 have been presented for examination.

Claim Objections

Claim 7 is objected to because of the following informalities:

The punctuation in page 23- line 11, should be changed from "." to ",".

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moudgill, (U.S. Patent No. 6,578,094 and Moudgill hereinafter), in view of Nishikawa, (U.S. Patent No. 6,346,822 and Nishikawa hereinafter).

Regarding claim 1, Moudgill discloses a method for preventing overrun of an input data buffer within a program having the input data buffer on a stack data structure (i.e., stack allocated array/buffer), the program executing on a computing system, the method comprising:

pushing all arguments to a function onto the stack data structure, pushing a return address onto the stack data structure for use in obtaining the memory address for the instruction to be executed upon completion of the function (Col. 2, lines 10-47);

allocating memory locations on the stack data structure for use as local variables within the function (Col. 1, lines 1-40);

completing the instructions within the function (Col. 3, lines 3-10).

Moudgill further discloses preventing potentially overwriting a procedure return value due to array overflow by calling a "bounds checking procedure" that calculates and returns a safe upper bound value (Col. 5, lines 65-67 and Col. 6, lines 1-15).

Moudgill does not expressly disclose pushing onto the stack data structure a security token, the security token comprises a randomly generated data value, retrieving the security token value from the stack data structure, and if the retrieved security token value is identical to the randomly generated data value, return from the function using the return address stored on the stack data structure.

However, Nishikawa discloses a security token (i.e., a semiconductor integrated circuit), the security token comprises a randomly generated data value (i.e., a pseudo-random number pattern), retrieving the security token value from the stack data structure (i.e., shift register 3, where it is saved after being generated), and verifying if the retrieved security token value is identical to the randomly generated data value (i.e., pseudo-random number pattern in comparison data register 11)(i.e., note that Fig. 1, element 2 is equivalent to the step of reading data into the input buffer in the way that it may influence the random number (pattern) to be changed from its original form), return

Art Unit: 2131

from the function using the return address stored on the stack data structure (i.e., if it is verified that the pattern in shift register 3 is the same as the pattern in data register 11, it produces a success decision flag)(Col. 4, lines 38-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 2, Moudgill discloses a method (i.e., bounds checking function) to prevent stack-smashing attacks.

Moudgill does not expressly disclose wherein the method further comprises aborting the operation of the program if the retrieved security token value is not identical to the randomly generated data value.

However, Nishikawa discloses wherein the method further comprises aborting the operation of the program if the retrieved security token value (i.e., random number pattern stored in the shift register) is not identical to the randomly generated data value

Art Unit: 2131

(i.e., random number pattern stored in data register 11)(Col. 4, lines 65-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 3, Moudgill does not expressly disclose wherein the randomly generated data value is determined using a random number generator once each time the program is executed.

However, Nishikawa discloses wherein the randomly generated data value is determined using a random number generator once each time the program is executed (i.e., after the reset signal is released)(Col. 3, lines 29-50).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator generating a random number pattern once each time the program is executed (i.e., after a reset signal is

released) with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 5, Moudgill discloses wherein the function comprises a subroutine that does not return a data value (i.e., it is interpreted by the Office that the function that takes an array argument and calls the "gets (array argument)" routine may be designed to return or not to return a data value)(Col. 7, lines. 24-34)

Regarding claim 6, Moudgill discloses wherein the function comprises a subroutine that does returns one or more data values (i.e., "bounds ()" routine)(Col. 7, lines 55-67 and Col. 8, lines 1-49).

Regarding claim 7, Moudgill discloses an apparatus for preventing overrun of an input data buffer within a program having the input data buffer on a stack data structure (i.e., stack allocated array/buffer), the program, the apparatus comprising:

a function call module placing arguments to a function and a return address onto the stack data structure (Col.2, lines 10-47);

a perform function module performing the operations within the function, the perform function module allocates memory locations on the stack data structure for use as the input data buffer (Col. 1, lines 1-40);

a complete function module completing the operation of the function (Col. 3, lines 3-10).

Moudgill further discloses preventing potentially overwriting a procedure return value due to array overflow by calling a "bounds checking procedure" that calculates and returns a safe upper bound value (Col. 5, lines 65-67 and Col. 6, lines 1-15).

Moudgill does not expressly disclose pushing onto the stack data structure a security token, the security token comprises a randomly generated data value, retrieving the security token value from the stack data structure, and if the retrieved security token value is identical to the randomly generated data value, return from the function using the return address stored on the stack data structure.

However, Nishikawa discloses a security token (i.e., a semiconductor integrated circuit), the security token comprises a randomly generated data value (i.e., a pseudo-random number pattern), retrieving the security token value from the stack data structure (i.e., shift register 3, where it is saved after being generated), and verifying if the retrieved security token value is identical to the randomly generated data value (i.e., pseudo-random number pattern in comparison data register 11)(i.e., note that Fig. 1, element 2 is equivalent to the step of reading data into the input buffer in the way that it may influence the random number (pattern) to be changed from its original form), return from the function using the return address stored on the stack data structure (i.e., if it is verified that the pattern in shift register 3 is the same as the pattern in data register 11, it produces a success decision flag)(Col. 4, lines 38-67 and Col. 5, lines 1-60).

The computer system of Moudgill may have been modified by Nishikawa to disclose:

a push security token module placing onto the stack data structure a security token, the security token comprises a randomly generated data value (i.e., a semiconductor integrated circuit, coupled to the computer system of Moudgill, comprising: a random number generator to generate a random number (pattern) and push it to the stack data structure of Moudgill's computer system), a pop security token module retrieving the security token from the stack data structure upon completion of the operation of the perform function module (i.e., retrieving the random number (pattern) from the shift register 3, where it is saved after being generated)(Nishikawa, Col.3, lines 29-63 and Col. 4, lines 38-65);

a test module comparing the retrieved security token with the randomly generated data value (i.e., verifying if the retrieved random number (pattern) is identical to the randomly generated data value in comparison data register 11- note that Fig. 1, element 2 is equivalent to the step of reading data into the input buffer in the way that it may influence the random number (pattern) to be changed from its original form), and wherein the complete function module returns from the function if the retrieved security token is determined to be identical to the randomly generated data value by the test module (i.e., if it is verified that the pattern in shift register 3 is the same as the pattern in data register 11, it produces a success decision flag)(Nishikawa, Col. 3, lines 63-67 and Col. 4, lines 65-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 8, Moudgill discloses a method (i.e., bounds checking function) to prevent stack-smashing attacks.

Moudgill does not expressly disclose wherein the complete function module aborts the operation of the program if the retrieved security token (i.e., random number pattern stored in the shift register) is determined not to be identical to the randomly generated data value (i.e., random number pattern stored in data register 11) by the test module (i.e., the comparator 5)(Col. 4, lines 65-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with

each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 9, Moudgill does not expressly disclose wherein the randomly generated data value is determined using a random number generator module once each time the program is executed.

However, Nishikawa discloses wherein the randomly generated data value is determined using a random number generator module once each time the program is executed (i.e., after the reset signal is released)(Col. 3, lines 29-50).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator generating a random number pattern once each time the program is executed (i.e., after a reset signal is released) with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 11, Moudgill discloses wherein the function comprises a subroutine that does not return a data value (i.e., it is interpreted by the Office that the

Art Unit: 2131

function that takes an array argument and calls the "gets (array argument)" routine may be designed to return or not to return a data value)(Col. 7, lines. 24-34)

Regarding claim 12, Moudgill discloses wherein the function comprises a subroutine that does return one or more data values (i.e., "bounds ()" routine)(Col. 7, lines 55-67 and Col. 8, lines 1-49).

Regarding claim 13, Moudgill discloses a computer program product readable by a computing system and encoding a set of computer instructions for preventing overrun of an input data buffer within a program having the input data buffer on a stack data structure (i.e., stack allocated array/buffer), the program executing on a computing system, the method comprising:

pushing a return address onto the stack data structure for use in obtaining the memory address for the instruction to be executed upon completion of the function (Col. 2, lines 10-47);

completing the instructions within the function (Col. 3, lines 3-10).

Moudgill further discloses preventing potential overwriting of a procedure return value due to array overflow by calling a "bounds checking procedure" that calculates and returns a safe upper bound value (Col. 5, lines 65-67 and Col. 6, lines 1-15).

Moudgill does not expressly disclose pushing onto the stack data structure a security token, the security token comprises a randomly generated data value, retrieving the security token value from the stack data structure, and if the retrieved security token

Art Unit: 2131

value is identical to the randomly generated data value, return from the function using the return address stored on the stack data structure.

However, Nishikawa discloses a security token (i.e., a semiconductor integrated circuit), the security token comprises a randomly generated data value (i.e., a pseudo-random number pattern), retrieving the security token value from the stack data structure (i.e., shift register 3, where it is saved after being generated), and verifying if the retrieved security token value is identical to the randomly generated data value (i.e., pseudo-random number pattern in comparison data register 11)(i.e., note that Fig. 1, element 2 is equivalent to the step of reading data into the input buffer in the way that it may influence the random number (pattern) to be changed from its original form), return from the function using the return address stored on the stack data structure (i.e., if it is verified that the pattern in shift register 3 is the same as the pattern in data register 11, it produces a success decision flag)(Col. 4, lines 38-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 14, Moudgill discloses a method (i.e., bounds checking function) to prevent stack smashing attacks.

Moudgill does not expressly disclose wherein the method further comprises aborting the operation of the program if the retrieved security token value is not identical to the randomly generated data value.

However, Nishikawa discloses wherein the method further comprises aborting the operation of the program if the retrieved security token value (i.e., random number pattern stored in the shift register) is not identical to the randomly generated data value (i.e., random number pattern stored in data register 11)(Col. 4, lines 65-67 and Col. 5, lines 1-60).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator, a storage unit to store the generated pattern/pseudo-random number, and at the same time store it on the stack, after allocated input data buffer, and then comparing the two numbers/patterns with each other to verify whether or not there has been an input buffer overflow with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 15, Moudgill does not expressly disclose wherein the randomly generated data value is determined using a random number generator once each time the program is executed.

However, Nishikawa discloses wherein the randomly generated data value is determined using a random number generator once each time the program is executed (i.e., after the reset signal is released)(Col. 3, lines 29-50).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator generating a random number pattern once each time the program is executed (i.e., after a reset signal is released) with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit (i.e., a perform function module)(Nishikawa, Col. 1, lines 40-45).

Regarding claims 4, 10, and 16, Moudgill does not expressly disclose wherein the random number generator generates the randomly generated data value using a snapshot of a system clock within the computing system before the program first accepts input data.

However, Nishikawa discloses wherein the random number generator (Fig. 1, element 1) generates the randomly generated data value using a snapshot of a system clock (i.e., clock counter, Fig. 1) within the computing system (Col. 3, lines 29-67 and Col. 4, lines 1-20).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill with the teachings of Nishikawa to include a pseudo-random number generator generating a random number pattern, initiated (i.e., after a reset signal is released) and ceased (i.e., when the signal of agreement of all the bits or the signal of disagreement of all the bits) by a clock counter before the program first accepts input data with the motivation to provide a diagnosis function capable of diagnosing the operation state of a semiconductor integrated circuit coupled to a computer system (i.e., verifying if the retrieved random number (pattern) is identical to the randomly generated data value in comparison data register 11- note that Fig. 1, element 2 is equivalent to the step of reading data into the input buffer in the way that it may influence the random number (pattern) to be changed from its original form)(Nishikawa, Col. 1, lines 40-45).

Regarding claim 17, Moudgill discloses wherein the function comprises a subroutine that does not return a data value (i.e., it is interpreted by the Office that the function that takes an array argument and calls the "gets (array argument)" routine may be designed to return or not to return a data value)(Col. 7, lines. 24-34)

Regarding claim 18, Moudgill discloses wherein the function comprises a subroutine that does return one or more data values (i.e., "bounds ()" routine)(Col. 7, lines 55-67 and Col. 8, lines 1-49).

Art Unit: 2131

Regarding claim 19, Moudgill discloses wherein the computer data product comprises a set of computer instructions encoded (i.e., programs written in programming languages such as C, C++, or Java) and stored onto a computer readable storage medium (i.e., memory)(Col. 1, lines 15-40).

Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moudgill, (U.S. Patent No. 6,578,094 and Moudgill hereinafter) and Nishikawa, (U.S. Patent No. 6,346,822 and Nishikawa hereinafter), in view of Williams, (U.S. Patent No. 6,519,702 and Williams hereinafter).

The teachings of Moudgill and Nishikawa have been discussed previously.

Regarding claim 20, Moudgill or Nishikawa does not expressly disclose wherein the computer data product comprises a set of computer instructions encoded within a carrier wave for transmission between computing systems.

However, Williams discloses wherein the computer data product comprises a set of computer instructions encoded within a carrier wave for transmission between computing systems (Col. 2, lines 58-67).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of applicant's invention to modify the teachings of Moudgill and Nishikawa with the teachings of Williams to include the capability to communicate computer instruction signals in a carrier wave with the motivation to provide for the capability to execute not only the computer code stored on a computer readable storage medium, but also the

Art Unit: 2131

computer code embedded in data received from an external source in an electronic form (Williams, Col. 1, lines 10-15).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Reeve et al., (U.S. Publication No. 2002/0170034).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arezoo Sherkat whose telephone number is (703) 305-8749. The examiner can normally be reached on 8:00-4:30 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (703) 305-9648. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/653,618
Art Unit: 2131

Page 18



Arezoo Sherkat
Patent Examiner
Technology Center 2100
March 8, 2004



AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100